



Analytical Testing Corporation

Phone : 2357756
2717405
Fax : 0522-2717405

E-mail : sushilmadan8@yahoo.co.in

165, Kukrail Picnic Sport Road, P.O. CIMAP, Lucknow-226 015 (Near Balvihar)

(ISO Certified and Government Licensed Laboratory under the Drugs Cosmetic act, 1940 and the rules there under)

(Drug Lic. No. 1/ /TESING /2010 (ISO 9001 : 2000 CERTIFICATE No. AI-ams-0888-00)

CERTIFICATE OF ANALYSIS
(FORM 39)

SAMPLE : NUTRIPLUS PROTEIN POWDER
(VANILLA MIX FLAVOUR)

Mfd. By : BISON ORGANICS

Plot No. 27-30, Phase-III, Industrial Area,
Sansarpur Terrace, Distt. Kangra (H.P.)

Supp. By : ----- Do -----



QM 013

Report No. : TR-0154790

Dt. Recd. : 14/05/2012

Your Ref : DTD 13/05/2012

Batch No. : BP-08

PFA No. : 03

Samp. Qty. : 500 gm

B. Size : 500 Kg.

D/M : 05/2012

D/E : 18 Months from DOM

TEST DATA

1. DESCRIPTION : The material is cream colored Powder. Packed in sealed plastic box.	
2. Moisture Content	3.92% w/w
3. Acid insoluble residue	0.061% w/w
4. Total Ash.	2.94% w/w
5. Total viable aerobic count (bacteria) (in 1gm of the product)	2×10^2 cfu/gm
6. Enterobacteria & certain other gram-negative bacteria (in 1gm of the product)	Absent
7. Total Viable aerobic count (fungi) (in 1gm of the product)	Absent
8. Salmonella : (in 25gm of the product)	Absent
9. E. coli (in 25gm of the product)	Absent
10. Staphylococcus aureus (in 10gm of the product)	Absent
11. Coliform (in 1gm of the product)	Absent
12. Arsenic	Less than 1 ppm
13. Cadmium	Less than 0.3 ppm
14. Lead	Less than 2 ppm
15. Mercury	Less than 0.05 ppm
16. Antimony	Less than 1 ppm
17. Tin	Less than 40 ppm

Of Reliable, Quality and Prempt services

In the opinion of the undersigned the sample (not drawn by us)

IS OF STANDARD QUALITY

as defined in the act and the rules made thereunder for the reasons given below.

COMPLIES IN THE ABOVE RESPECTS.

Analyst

Date Comp. : 21/05/2012

Incharge of Testing